



Pozidriv

1/4" DIN 3126 C6,3



P	L1 mm	Iso-Temp	MAXgrip ⁺	Magnator XH ⁺	Classic XH
Pz0	25				27044
Pz1	25	45153	60433	50340	27045
Pz1	25	45153		50340	
Pz1	25				27045
Pz2	25	45154	60434	50341	27046
Pz2	25	45154	60434	50341	
Pz2	25				27046
Pz3	25	45939	60435	50342	27047
Pz3	25	45939		50342	
Pz3	25				27047
Pz4	25				35000



P	L1 mm	Iso-Temp			Classic XH
Pz1	51				47166
Pz2	51	35487			27049
Pz3	51				47167



P	L1 mm	Iso-Temp			Classic XH
Pz1	25	48306			35001
Pz2	25	48307			35002
Pz2	25	48307			35002
Pz3	25	48308			35003



P	L1 mm	Iso-Temp			Classic XH
Pz1R	25				27060
Pz2R	25	35490			27061
Pz2R	25	48289			27061

5/16" DIN 3126 C8




P	L1 mm				Classic XH
Pz1	32				27220
Pz2	32				27221
Pz3	32				27222
Pz4	32				27223

1/4" DIN 3126 E6,3



P	L1 mm	D1 mm	Iso-Temp	MAXgrip		Classic XH
Pz1	49	4,8	45940	60450		27380
Pz2	49	6,3	45941	60451		27381
Pz2	49	6,3				27381
Pz3	49	6,3	45942	60452		27382

1/4" DIN 3126 E6,3



P	L1 mm		Iso-Temp			Classic XH
Pz1	49		48340			60362
Pz2	49		48341			60363
Pz3	49		48342			60364



P	L1 mm	D1 mm	Iso-Temp			Classic XH
Pz1	70	4,8	35495			27383
Pz2	70	6,3	48237			27384
Pz2	70	6,3				27384
Pz3	70	6,3	35496			37385



P	L1 mm	D1 mm	Iso-Temp			Classic XH
Pz1	89	4,8	35497			27386
Pz2	89	6,3	48990			27387
Pz3	89	6,3	35498			27388



P	L1 mm	D1 mm	Iso-Temp			Classic XH
Pz1	152	4,8				27389
Pz2	152	6,3	35500			27390
Pz3	152	6,3				27391

M5 Gewinde



P	L1 mm	D1 mm		MAXGrip		
Pz1	44,5	6,3		35049		
Pz2	44,5	6,3		35050		
Pz3	44,5	6,3		35051		

10/32" Gewinde NF2A

P	L1 mm	D1 mm		MAXGrip		
Pz2	44,5	6,3		37974		



Phillips

1/4" DIN 3126 C6,3



P	L1 mm	Iso-Temp	MAXgrip ⁺	Magnator XH ⁺	Classic XH
Ph0	25				27019
Ph0	25				27019
Ph1	25	45189	60430	50343	27020
Ph1	25			50343	
Ph1	25				27020
Ph2	25	45190	60431	50344	27021
Ph2	25	45190	60431	50344	
Ph2	25				27021
Ph3	25	45191	60432	50345	27022
Ph3	25			50345	
Ph3					27022
Ph4	25				35004

P	L1 mm				Classic XH
Ph1	51				47164
Ph1	38				27023
Ph2	51				27024
Ph2	64				27025
Ph3	51				47165



P	L1 mm	Iso-Temp			Classic XH
Ph1	25	45912			
Ph2	25	45913			
Ph2	25				48464
Ph3	25	45914			35005



P	L1 mm	Iso-Temp			Classic XH
Ph1R	25				27035
Ph1R	25				27035
Ph2R	25	44963			27036
Ph2R	25				27036



P	L1 mm				Classic XH
Ph1R	51				37513
Ph2R	51				37514
Ph2R	76				37515

1/4" DIN 3126 C8



P	L1 mm				Classic XH
Ph1	32				27205
Ph2	32				27206
Ph3	32				27207
Ph4	32				27208

P	L1 mm				Classic XH
Ph2	32				60001

1/4" DIN 3126 E6,3



P	L1 mm	D1 mm	Iso-Temp	MAXGrip		Classic XH
Ph0	49	4,8				40938
Ph1	49	4,8	35301	60450		27360
Ph2	49	6,3	49337	60451		27361
Ph2	49	6,3	49337			27361
Ph3	49	6,3	35302	60452		27362



P	L1 mm	D1 mm	Iso-Temp			Classic XH
Ph1	49	4,8	44957			37659
Ph2	49	6,3	44958			37661
Ph3	49	6,3	44959			37663

P	L1 mm	D1 mm	Iso-Temp			Classic XH
Ph1	49	4,8	45326			48461
Ph2	49	6,3	45327			48462
Ph3	49	6,3	45328			60346



P	L1 mm	D1 mm	Iso-Temp			Classic XH
Ph1	70	4,8				27363
Ph2	70	6,3	35304			27364
Ph2	70	6,3				27364
Ph3	70	6,3				27365



P	L1 mm	D1 mm	Iso-Temp			Classic XH
Ph1	89	4,8	35306			27366
Ph2	89	6,3	35307			27367
Ph2	89	6,3				27367
Ph3	89	6,3	35308			27368



P	L1 mm	D1 mm				Classic XH
Ph1	102	4,8				28313
Ph2	102	6,3				28314
Ph2	102	6,3				28314
Ph3	102	6,3				28315



P	L1 mm	D1 mm	Iso-Temp			Classic XH
Ph1	152	4,8				45794
Ph2	152	6,3	41829			45625
Ph3	152	6,3				35992

M5 Gewinde



P	L1 mm	D1 mm				Classic XH
Ph1	44,5	6,3				35046
Ph2	44,5	6,3				35047
Ph3	44,5	6,3				35048

10/32" Gewinde NF2A

P	L1 mm	D1 mm				Classic XH
Ph2	44,5	6,3				45282

Torx

1/4" DIN 3126 C6,3



P	L1 mm	Iso-Temp	MAXgrip ⁺		Classic XH
T6	25				41211
T7	25				37151
T8	25				37153
T8	25		221872		
T9	25				37155



T10	25	35368	60436		37157
T10	25				37157
T15	25	35369	60437		37159
T15	25				37159
T20	25	35370	60438		37161
T20	25				37161
T25	25	35371	60439		37163
T25	25				37163
T27	25	35372	221877		37165
T27	25				37165
T30	25	35373	60440		37167
T30	25				37167
T40	25	35374	60441		37169
T40	25				37169

5/16" DIN 3126 C8



P	L1 mm				Classic XH
T30	32				37171
T40	32				37173
T45	32				37175
T47	32				37890
T50	32				37177
T55	32				38333

1/4" DIN 3126 E6,3



P	L1 mm	D1 mm	Iso-Temp			Classic XH
T6	49	4,0				41751
T7	49	4,0				39931
T8	49	4,0				37713
T9	49	4,0				39933
T10	49	4,0	45573			37715
T15	49	4,0	45574			37717
T20	49	4,7	45575			37719
T25	49	4,7	45576			37721
T27	49	6,2	42312			37723
T30	49	6,2	45578			37725
T40	49	-	60063			37727



P	L1 mm	D1 mm				Classic XH
T8	70	4,0				37729
T9	70	4,0				39937
T10	70	4,0				37731
T15	70	4,0				37733
T20	70	4,7				37735
T25	70	4,7				37737
T27	70	6,2				37739
T30	70	6,2				37741
T40	70	-				37743



P	L1 mm	D1 mm				Classic XH
T8	89	4,0				37745
T9	89	4,0				39941
T10	89	4,0				37747
T15	89	4,0				37749
T20	89	4,0				37751
T25	89	4,7				37753
T27	89	4,7				37755
T30	89	6,2				37757
T40	89	-				37759



P	L1 mm	D1 mm				Classic XH
T8	152	4,0				37761
T10	152	4,0				37763
T15	152	4,0				37765
T20	152	4,0				37767
T25	152	4,7				37769
T27	152	4,7				37771
T30	152	6,2				37773
T40	152	-				37775



1/4" DIN 3126 C6,3

P	L1 mm					Classic XH
T10W	25					38771
T15W	25					38365
T20W	25					38367
T25W	25					38369
T30W	25					38373

1/4" DIN 3126 E6,3

P	L1 mm					Classic XH
T10W	49					38736
T15W	49					38375
T20W	49					38377
T25W	49					38379
T30W	49					38383

Torx Tamper Resistant

1/4" DIN 3126 C6,3




P	L1 mm					Classic XH
T7H	25					38911
T8H	25					38338
T9H	25					38340
T10H	25					38342
T15H	25					38344
T20H	25					38346
T25H	25					38348
T27H	25					38350
T30H	25					38352
T40H	25					38354



Schlitz

1/4" DIN 3126 C6,3



P	L1 mm	P1mm	P2mm	Iso-Temp	MAXgrip+	Classic XH
0,5x3,0	25	0,5	3,0			43895
0,5x4,0	25	0,5	4,0	47159	60442	43896
0,6x4,5	25	0,6	4,5	47160	60443	43897
0,8x5,5	25	0,8	5,5	47020	60444	43899
1,0x5,5	25	1,0	5,5	47021	221888	43892
1,0x6,0	25	1,0	6,0	35008		43900
1,2x6,5	25	1,2	6,5	47022	60445	43902
1,2x8,0	25	1,2	8,0	47161	60446	43903
1,6x8,0	25	1,6	8,0	47162	222026	43904
0-1	25	0,6	2,8			41175
1-2	25	0,7	3,2			41176
2-3	25	0,7	3,4			41177
3-4	25	0,8	3,9			41178
4-5	25	0,9	4,7			39534
5-6	25	0,9	5,4			39535
6-8	25	1	6,3			39536
8-10	25	1,1	7			39537
10-12	25	1,2	7,1			39538
12-14	25	1,3	7,1			39539

P	L1 mm	P1mm	P2mm		Magnator XH
0,5x3,0	25	0,5	3,0		
0,5x4,0	25	0,5	4,0		50352
0,6x4,5	25	0,6	4,5		50353
0,8x5,5	25	0,8	5,5		50354
1,0x5,5	25	1,0	5,5		
1,0x6,0	25	1,0	6,0		
1,2x6,5	25	1,2	6,5		50355
1,2x8,0	25	1,2	8,0		
1,6x8,0	25	1,6	8,0		43904



5/16" DIN 3126 C8

P	L1 mm	P1mm	P2mm			Classic XH
0,8x5,5	32	0,8	5,5			222397
1,0x5,5	32	1,0	5,5			222398
1,2x6,5	32	1,2	6,5			222399
1,2x8,0	32	1,2	8,0			222400
1,6x8,0	32	1,6	8,0			222401

1/4" DIN 3126 E6,3



P	L1 mm	P1mm	P2mm			Classic XH
0,5x3,0	49	0,5	3,0			41973
0,5x4,0	49	0,5	4,0			60049
0,6x4,5	49	0,6	4,5			41980
0,8x5,5	49	0,8	5,5			41983
1,0x5,5	49	1,0	5,5			60050
1,0x6,0	49	1,0	6,0			48965
1,2x6,5	49	1,2	6,5			41984
1,2x8,0	49	1,2	8,0			41993
1,6x8,0	49	1,6	8,0			41994

P	L1mm	P1mm	P2mm			Classic XH
0,5x3,0	70	0,5	3,0			222047
0,6x4,5	70	0,6	4,5			222049
0,8x5,5	70	0,8	5,5			222050
1,0x5,5	70	1,0	5,5			222051
1,2x6,5	70	1,2	6,5			222052

P	L1mm	P1mm	P2mm			Classic XH
0,8x5,5	89	0,8	5,5			222056
1,0x5,5	89	1,0	5,5			222057
1,2x6,5	89	1,2	6,5			222058
1,2x8,0	89	1,2	8,0			222059

**Sechskant****1/4" DIN 3126 C6,3**

P	L1 mm				Classic XH
1,5mm	25				47163
2mm	25				36538
2,5mm	25				39545
3mm	25				36539
4mm	25				36540
5mm	25				36541
6mm	25				36542
7mm	25				43939
8mm	25				36543
5/64"	25				27096
3/32"	25				27097
7/64"	25				37475
1/8"	25				27098
9/64"	25				37476
5/32"	25				27099
3/16"	25				27100
7/32"	25				27101
1/4"	25				27102
5/16"	25				27103
3/8"	25				27104

5/16" DIN 3126 C8

P	L1 mm				Classic XH
3mm	32				36544
4mm	32				36545
5mm	32				36546
6mm	32				36547
7mm	32				44997
8mm	32				36548
10mm	32				36549
12mm	32				36550
14mm	32				36551



1/14" DIN 3126 E6,3



P	L1 mm					Classic XH
2mm	49					60016
2,5mm	49					39869
3mm	49					39870
4mm	49					39871
5mm	49					39872

P	L1 mm					Classic XH
6mm	49					48851
8mm	49					39873
10mm	49					60017

Vierkant

1/4" DIN 3126 C6,3



P	L1 mm		Iso-Temp		Classic XH
R0	25		45155		38509
R1	25		45195		29049
R2	25		45196		29050
R2	25				29050
R3	25		45197		29051



1/4" DIN 3126 E6,3



P	L1 mm		Iso-Temp		Classic XH
R1	49		45184		29052
R2	49		45185		29053
R2	49				29053
R3	49		45186		29054



P	L1 mm				Classic XH
R1	70				29055
R2	70				29056
R3	70				29057



P	L1 mm				Classic XH
R1	89				39945
R2	89				39947



P	L1 mm				Classic XH
R2	102				39953



P	L1 mm				Classic XH
R1	152				39957
R2	152				39959
R3	152				39961



Torq-Set

1/4" DIN 3126 C6,3



P	L1 mm		Iso-Temp		
0	25		35395		
1	25		35396		
2	25		35397		
3	25		35398		
4	25		35399		
5	25		35400		
6	25		35401		
8	25		35402		
10	25		35403		

5/16" DIN 3126 C8



P	L1 mm		Iso-Temp		
10	32		35405		
1/4	32		35406		
5/16	32		35407		
3/8	32		35408		

1/4" DIN 3126 E6,3



P	L1 mm	D1 mm	Iso-Temp		
0	32	3,2	35425		
1	32	3,2	35426		
2	32	3,2	35427		
3	32	3,2	35428		
4	32	3,2	35429		
5	32	4	35430		
6	32	4,8	35431		
8	32	4,8	35432		
10	32	6,3	35433		



7/16" DIN 3126 E11,2



P	L1 mm		Iso-Temp		
1/4	32		35434		
5/16	32		35436		
3/8	32		35436		
7/16	32		35437		

Tri-Wing

1/4" DIN 3126 C6,3



P	L1 mm		Iso-Temp		
0	25		35409		
1	25		35410		
2	25		35411		
3	25		35412		
4	25		35413		
5	25		35414		
6	25		35415		

1/4" DIN 3126 E6,3



P	L1 mm		Iso-Temp		
1	32		35439		
2	32		35440		
3	32		35441		
4	32		35442		
5	32		35443		



Spanner

1/4" DIN 3126 C6,3

P	L1 mm		Iso-Temp		
SP6	25		35422		
SP8	25		35423		
SP10	25		35424		

Doppelbits

1/4"

P1	P2	L1 mm			Classic XH
PZ2	PZ2	60			48871

P1	P2	L1 mm			Classic XH
PH2	PH2	60			48866



P1	P2	L1 mm			Classic XH
PH2	PH2	45			44103



P1	P2	L1 mm			Classic XH
PH2	PZ2	45			35670



P1	P2	L1 mm			Classic XH
0,6 x 4,5	PZ1	60			48855
0,8 x 5,5	PZ2	60			48856



P1	P2	L1 mm			Classic XH
1,0 x 5,5	PH1	45			48021
0,8 x 5,5	PH2	60			48854

Schnellwechsel-Bithalter

1/4" DIN 3126 E6,3 2-teilig



B	L mm	D mm			Magnetisch
1/4	59	14			50299

SDS Plus 2-teilig



B	L mm	D mm			Magnetisch
1/4	79	14			50093



Bithalter

1/4“ DIN 3126 C6,3 2-teilig



B	L mm	D mm			Magnetisch
1/4	44	9,4			41180

1/4“ DIN 3126 E6,3 2-teilig



B	L mm	D mm			Magnetisch
1/4	59	9,4			50080
1/4	54	9,5			50034
1/4	73	9,4			35565
1/4	75	11,1			40943
1/4	102	9,4			27710
1/4	127	9,4			27730
1/4	152	9,4			27750
1/4	279	9,4			27792

1/4“ DIN 3126 E6,3 1-teilig



B	L mm	D mm		Nicht Magnetisch	Magnetisch
1/4	56	9,6			48993
1/4	73	9,4			39972
1/4	54	11,1		38215	
1/4	73	9,4			27690
1/4	75	11,1			40833

**1/4" DIN 3126 E6,3 1-teilig
mit Schraubkappe**

B	L mm	D mm			Magnetisch
1/4	59	9,4			26791
1/4	127	9,4			27695
1/4	152	9,4			27715

**1/4" DIN 3126 E6,3 1-teilig
mit Schraubkappe**

B	L mm	D mm			Magnetisch
1/4	73	9,4			26790

**1/4" DIN 3126 E6,3 2-teilig
Silicon Bronze**

B	L mm	D1 mm	D2 mm		Magnetisch
1/4	76	9,4	11,1		36310

**5/16" DIN 3126 E6,3 2-teilig
Desoutter**

B	L mm	D mm			Magnetisch
5/16	73	9,5			36436

**SDS Plus 2-teilig**

B	L mm	D mm			Magnetisch
1/4	98	11,1			35030

G7 2-teilig

B	L mm	D mm			Magnetisch
G7	75	9,6			35031

Steckschlüsseleinsätze**1/4" DIN 3126 C6,3**

P	L1 mm	D1 mm			Magnetisch
7 mm	28	11			41048
8 mm	28	13			41049
10 mm	32	14			41050
1/4"	28	11			38686
5/16"	28	13			38687
3/8"	32	14			38688

1/4" DIN 3126 E6,3

P	L1 mm	D1 mm		Nicht magnetisch	Magnetisch
5,5 mm	41	11			44982
6 mm	41	11			38327
7 mm	41	13		35631	40813
8 mm	41	13		35632	38328



10 mm	48	14		35633	38329
5,5 mm	65	11			47228
6 mm	65	11			47231
7 mm	65	13		47233	47234
8 mm	65	13		47235	47236
10 mm	65	14		47238	47239
12 mm	65	14		50413	50411
13 mm	65	14		50414	50412
1/4"	41	11			31450
5/16"	41	13			31452
3/8"	48	14			36165
1/4"	65	11			37582
5/16"	65	13			37583
3/8"	65	14			37584
7/16"	65	16			38639

**1/4" DIN 3126 E6,3
mit Feder**

P	L1 mm	D1 "		Nicht magnetisch	
8 mm	65	9/16		50415	
3/8"	65	9/16		50416	

Steckschlüssel

1/4" Konisch

P	L1 mm	D1 mm	D 2 mm	Nicht magnetisch	Magnetisch
4 mm	22	13	7	36382	36367
4,5 mm	22	13	8	36383	36368
5 mm	22	13	9	36384	36369
5,5 mm	22	13	9	36385	36370
6 mm	22	13	9	36386	
1/4"	22	13	10	31426	30183



1/4“ Zylindrisch

P	L1 mm	D1 mm		Nicht magnetisch	Magnetisch
7 mm	22	13		36378	36372
8 mm	22	13		36388	36373
9 mm	25	16		36389	36374
10 mm	25	17,5		36390	36375
11 mm	25	17,5		36391	36376
12 mm	25	19		36392	36377
13 mm	25	19		36393	36378
1/4“	22	13		38598	38599
5/16“	22	13		31428	31440
3/8“	25	16		50100	50103

Verlängerungen

1/4“ DIN 3126 C6,3

P	L1 mm			Stiftsicherung	Kugelsicherung
1/4“	25				41181

1/4“ DIN 3126 E6,3

P	L1 mm			Stiftsicherung	Kugelsicherung
1/4 mm	51			34610	45267
1/4 mm	76			37570	
1/4 mm	102			31594	
1/4 mm	152			31595	
1/4 mm	203			37571	
3/8 mm	51			34611	
3/8 mm	76			38209	

**Adapter Vierkant-Hex****1/4“ Vierkant**

P	L1 mm				Nicht magnetisch
1/4“	29				31894

3/8“ Vierkant

P	L1 mm				Nicht magnetisch
1/4“	29				31895
5/16“	35				31896

Alle Angaben ohne Gewähr.
Irrtümer und Tippfehler vorbehalten.